62K CAPACITY LANDING GEAR

Complete your journey with our parts



5 YEARS WARRANTY

MSB NORTH AMERICA

BUILT FOR THE TOUGHEST LOADS

Reliable Support. Maximum Durability. Proven Performance.

MSB 62K Capacity Landing Gear is engineered to deliver exceptional strength, reliability, and ease of operation for demanding trailer applications. Designed for North American fleets, OEMs, and aftermarket distributors, it provides dependable trailer support under the most challenging operating conditions.
Manufactured using high-strength steel components and precision-engineered gearing systems, every MSB landing gear assembly is built to withstand heavy static loads while ensuring smooth operation throughout its service life.



MSB | NORTH AMERICA

Why Choose MSB Landing Gear?

Heavy-Duty 62,000 lb Lift Capacity

Designed to safely support loaded trailers with outstanding structural integrity.

Universal Mount Design

Compatible with a wide range of trailer configurations for simplified installation and inventory management.

Internal & External Gear Options

Available in both Jost-style internal gear and Holland-style external gear configurations.

Corrosion-Resistant Finish

Advanced coating technology provides superior protection against rust and harsh environmental conditions.



Smooth Crank Operation

Precision-machined gearing ensures effortless operation and reduced operator fatigue.

Reinforced Construction

Heavy-duty outer tube, inner leg, bearing assemblies, and back plates deliver maximum durability.

Service-Friendly Design

Fully greaseable shafts and gears for extended maintenance intervals and longer service life.

Enginereed for performance

Every MSB Landing Gear is manufactured using– advanced production technologies including:


- CNC Machining
- Robotic Welding
- Automated Surface Treatment
- Precision Gear Manufacturing
- 100% Quality Inspection


Our engineering team validates every design through rigorous durability and load testing to ensure reliable performance in real-world operating environments.

Specifications	Value
Lift Capacity	62,000 lbs
Static Load Capacity	176,000 lbs
Side Load Capacity	30,000 lbs
Travel Options	17" / 19"
Mount Style	Universal (Outside or Inside Mount)
Gear Type	Internal / External
Shoe Type	Standard / Heavy Duty
Crank Handle	21.45"
Finish	Powder Coated
Warranty	5 Years



RBT17 TRAVEL 17 OUTSIDE MOUNT NEW







Travel 17" T Foot Outside Mount
İnternal Gear

Static load : 176,370 lbs - Metric 80 T
Lift capacity : 62,000 lbs - Metric 28 T

Gear Ratio
Low Gear: 30 Turns = 1″ Travel
High Gear: 3.5 Turns = 1″ Travel

STR 17 TRAVEL 17 UNIVERSAL MOUNT NEW





Travel 17" T Foot Universal Mount
External Gear

Static load : 176,370 lbs - Metric 80 T
Lift capacity : 62,000 lbs - Metric 28 T

Gear Ratio
Low gear: 36,5 Turns = 1″ Travel
High gear: 4,5 Turns = 1″ Travel



CONTACT INFORMATION

MSB North America &
Represented by Overture Consulting
www.msbnorthamerica.com
www.overtureconsulting.us

Emine Aliyeva - North America
emine.aliyeva@msbnorthamerica.com
+90 538 893 28 88

Felipe Bumagny
felipe@overtureconsulting.us
+1 817-403-3222

Bruno Geoffroy Scuracchio
bruno@overtureconsulting.us
+1 469-400-2966*